

09/710,143

MS160275.01/MSFTP173US

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently amended): A system that facilitates configuration of a software system being installed, comprising:

an interface component that obtains location scenario information pertaining to a location of a device within a network upon which the software system is to be installed;

a setup component that configures the software system based at least in part upon the information pertaining to the location of the device within the network by providing at least one recommended, selectable component for installation corresponding to such location that receives information indicative of a location scenario related to where the software system is being installed, configuration characteristics for the software system determined based at least in part on the location scenario.

2. (Currently amended): The system of claim 1, ~~wherein~~ the software system further comprises a plurality of available components, the setup component selects configuration characteristics further include default components ~~selected~~ for installation from the plurality of available components based on the location scenario information.

3. (Currently amended): The system of claim 2, further comprising a component selection user interface that identifies ~~which is programmed to identify~~ the default components and, in response to receiving a user input, selects ~~to select~~ which of the plurality of available components of the software system are to be installed, the operating characteristics for at least some of the selected components being controlled as a function of the location scenario information.

09/710,143

MS160275.01/MSFTP173US

4. (Currently amended): The system of claim 1, ~~wherein~~ the setup component further comprises a location user interface component that presents at least two location scenarios associated with installation of the software system, the location user interface component sets the location scenario in response to receipt of an associated user input.

5. (Original): The system of claim 1, further including computer-executable instructions associated with the setup component for accessing stored system information and determining configuration characteristics associated with a location onto where the software system is being installed, the location scenario being determined based on the configuration characteristics.

6. (Currently amended): The system of claim 1, ~~wherein~~ the software system is a server system that has a plurality of server components and the location scenario information is selected from at least two scenarios including a central server scenario and a branch office server scenario.

7. (Currently amended): A system for facilitating configuration of a software system being installed, comprising:

means for identifying a location scenario associated with a position of a computer where the software system is to be installed within a network; and

means for determining a configuration for the software system based on the position of the computer within the network by yielding a default, customizable subset of software system components ~~location scenario~~.

09/710,143

MS160275.01/MSFTP173US

8. (Currently amended): A method for configuring a software system, comprising:

selecting a scenario based on a location of a device where the software system is to be installed with respect to disparate devices; and

determining a configuration for the software system ~~[[the]]~~ based on the selected scenario by providing a default, modifiable subset of software system components for installation corresponding to the location of the device.

9. (Currently amended): The method of claim 8, ~~wherein~~ the software system includes a plurality of components, ~~the step of~~ determining further comprising determining at least one default component to install from the plurality of components based on the selected scenario.

10. (Original): The method of claim 9, further comprising providing a user interface which identifies the at least one default component.

11. (Original): The method of claim 10, further including selecting which of the plurality of components are to be installed and controlling operating characteristics of at least some of the selected components as a function of the selected scenario.

12. (Currently amended): The method of claim 8, further comprising presenting at least two possible location scenarios via an associated user interface, ~~the step of~~ selecting further comprising selecting the scenario from one of presented scenarios.

13. (Currently amended): The method of claim 8, ~~wherein the step of~~ selecting further comprises accessing stored system information and determining configuration characteristics associated with a location onto where the software system is being installed, the selected scenario being determined based on the determined configuration characteristics.

09/710,143

MS160275.01/MSFTP173US

14. (Currently amended): The method of claim 8, ~~wherein~~ the software system is a server system having a plurality of server components and the selected scenario is selected from at least two scenarios including a central server scenario and a branch office server scenario.

15. (Currently amended): A computer-readable medium having computer-executable instructions for:

receiving data indicative of a location scenario corresponding to a location in a network of a device where a software system is to be installed; and

configuring the software system based on the location scenario by tuning an adjustable list of recommended software system components for installation based upon the location in the network.

16. (Original): The computer-readable medium of claim 15, having further computer-executable instructions for determining at least one default component to install from a plurality of available components based on the location scenario.

17. (Original): The computer-readable medium of claim 16, having further computer-executable instructions for providing an interactive user interface that identifies the at least one default component.

18. (Original): The computer-readable medium of claim 17, having further computer-executable instructions for selecting which components of the software system are to be installed based on user input via the user interface and controlling operating characteristics of at least some of the selected components as a function of the location scenario.

19. (Original): The computer-readable medium of claim 15, having further computer-executable instructions for providing a user interface that presents at least two possible location scenarios and for receiving instructions via the user interface for selecting the location scenario from the presented scenarios.

09/710,143

MS160275.01/MSFTP173US

20. (Currently amended): The computer-readable medium of claim 19, ~~wherein~~ the software system is a server system having a plurality of server components, the computer-readable medium having further computer-executable instructions for presenting the at least two possible location scenarios to include a central server scenario and a branch office server scenario.

21. (Original): The computer-readable medium of claim 15, having further computer-executable instructions for accessing stored system information and determining configuration characteristics associated with a location onto where the software system is being installed, the location scenario being determined based on the determined configuration characteristics.